

To: Levine, Carolyn[Levine.Carolyn@epa.gov]
From: Miller, Linda
Sent: Fri 2/7/2014 9:05:49 PM
Subject: FW: Formaldehyde Update
1401359 (Thompson Barney) Freedom Spill Final Report.pdf

This is additional information fyi.

Ex. 5 - Deliberative

EPA contacted Dr. **Ex. 6 - Personal Privacy** to ask questions concerning the reported formaldehyde results in some water samples. On February 5th, Dr. **Ex. 6 - Personal Privacy** provided Jennifer with a lab report for five samples collected at one location - Vindalia Grille - on 1/13/14. Lab report does not contain raw data. Method used was SW0846 8315A (HPLC/UV with derivatization).

Summary of Results based on the Lab Report:

- Five samples (3 from water tanks from bathroom toilets) collected on 1/13/14.
- Positive formaldehyde results were 32 ppb and 33 ppb and were from the 3 toilet water samples.
- Only two of the samples with positive formaldehyde results had positive detects for MCHM (160 ppb and 1900 ppb). One sample with 32ppb of formaldehyde was non-detect for MCHM at a detection limit of 50 ppb.
- Method blanks were non-detect for formaldehyde and MCHM.

EPA will be following up with Dr. **Ex. 6 - Personal Privacy** to obtain more specifics on the raw data and discuss details of methodology.

Linda Miller

EPA Region III

Office of State and Congressional Relations

1650 Arch Street

Philadelphia, PA 19103

215 814 2068

Cell: 215 287-7414

From: Caporale, Cynthia

Sent: Friday, February 07, 2014 3:59 PM

To: Kelly, Jack (R3 Phila.); binetti, victoria; Arguto, William; Miller, Linda

Cc: Wilkie, walter; Pomponio, John; Foreman, Fred; Gundersen, Jennifer

Subject: Formaldehyde Update

All,

This is an update to the reach out Jennie made to Professor **Ex. 6 - Personal Privacy** that Jennie covered on today's call.

Dr. Jennifer Gundersen contacted Dr. **Ex. 6 - Personal Privacy** to ask questions concerning the reported formaldehyde results in some water samples. On February 5th, Dr. **Ex. 6 - Personal Privacy** provided Jennifer with a lab report for five samples collected at one location - Vindalia Grille - on 1/13/14. Lab report does not contain raw data. Method used was SW0846 8315A (HPLC/UV with derivatization).

Summary of Results based on the Lab Report:

- Five samples (3 from water tanks from bathroom toilets) collected on 1/13/14.
- Positive formaldehyde results were 32 ppb and 33 ppb and were from the 3 toilet water samples.
- Only two of the samples with positive formaldehyde results had positive detects for MCHM (160 ppb and 1900 ppb). One sample with 32ppb of formaldehyde was non-detect for MCHM at a detection limit of 50 ppb.

- Method blanks were non-detect for formaldehyde and MCHM.

Jennifer will be following up with Dr. Ex. 6 - Personal Privacy to obtain more specifics on the raw data and discuss details of methodology.

Ex. 5 - Deliberative

Ex. 5 - Deliberative

Attached is the report provided by Dr. Ex. 6 - Personal Privacy

Cindy

Cynthia Caporale, Chief
OASQA Laboratory Branch
U.S. EPA Region III
Environmental Science Center
Fort Meade, MD
(410) 305-2732
Fax: (410) 305-3095

Cynthia Caporale, Chief
OASQA Laboratory Branch
U.S. EPA Region III
Environmental Science Center
Fort Meade, MD
(410) 305-2732
Fax: (410) 305-3095